

**Welcome to Johnson Supply Inc Web Site**

**828-283-1999**



We want to speak with you today. Our expert team has many years of experience in the Janitorial Supply Business. Johnson Supply Inc has been serving the janitorial supply needs of our customers on the internet since 1996. We have been serving the needs of our local customers since 1985.

Our team has also owned janitorial cleaning businesses. This gives us a tremendous ability to help you. We have learned what works best in a certain application. We not only know the cleaning chemicals but also have used and demonstrated most of the equipment we sell. We will be happy to consult with you on your needs. We continually are training our customers. Again call us for expert assistance today, we are glad to help you.

**Remember LEASING is also a great option to get the equipment you need NOW**

[Why Lease](#)

[Leasing Application](#)

**Some of the products we offer below:**

***If you do not see the product you want online call us, as we have thousands of products not on the internet yet.***

We look forward to serving your needs.

Thank you so much.

*Material Handling*

*Storage*

# **Storage & Material Handling**

[www.johnsonsupplyinc.com](http://www.johnsonsupplyinc.com)



A



B



C



D



E



**A. Heavy-Duty Cube Trucks**

Provides quick and easy mobility for all types of jobs. Single-step sidewall design features reinforcing band to increase wall strength and prevent bowing; also allows nesting for compact storage. Heavy-duty, all-metal frame. Rugged, smooth-rolling casters. (Optional lid sold separately.)

No.	Capacity/ Cubic Ft.	Size (L x W x H)	Shpg. Wt.	Each
◆RCP 4712 BLA	800-lb./12	43¼ x 28 x 33⅞	62-lbs.	
◆RCP 4716 BLA	1,000-lb./16	44¾ x 31 x 38¼	75-lbs.	

**B. Cube Trucks**

Metal frame design provides durable support for commercial waste collection. Also ideal for commercial or institutional laundry handling. NSF/USDA Approved for use in food processing applications. Black.

No.	Capacity/ Cubic Ft.	Size (L x W x H)	Shpg. Wt.	Each
◆RCP 4608 BLA	300-lb./8	38 x 26 x 28½	36-lbs.	
◆RCP 4612 BLA	400-lb./12	42¾ x 28 x 33	40-lbs.	
◆RCP 4614 BLA	500-lb./14	44½ x 31 x 32½	47-lbs.	
◆RCP 4616 BLA	500-lb./16	43¾ x 31 x 37	51-lbs.	
◆RCP 4619 BLA	600-lb./20	48 x 34½ x 36½	60-lbs.	

**C. Cube Truck Lids**

Domed, hinged lid conceals loads without affecting capacity. Black.

No.	For RCP Model	Shpg. Wt.	Each
◆RCP 4609 BLA	4608	13.5-lbs.	
◆RCP 4613 BLA	4612, 4712	14.3-lbs.	
◆RCP 4615 BLA	4614, 4616, 4716	17.2-lbs.	
◆RCP 4617 BLA	4619	18.8-lbs.	

**D. Spring Platform Cube Truck**

Metal frame design provides durable support for commercial waste or laundry collection up to 500-lbs. or 14 cubic feet. Features a spring platform that brings contents to a convenient working level. The platform is covered with easy-to-clean plastic laminate; spring assembly covered by protective heavy-duty white vinyl. Black. 44½ x 31w x 32½h. Shpg. wt. 60-lbs.

◆RCP 4611 BLA			Each
---------------	--	--	------

**E. Structural Foam Tilt Trucks**

For general refuse collection and light to medium materials handling. Fits through standard commercial doorways and onto elevators easily. Inset, mark-resistant casters roll smoothly over thresholds and rough surfaces. USDA MEAT and poultry equipment compliant. Black. ¾ cubic yard, 64½l x 30¼w x 38h.

No.	Capacity	Shpg. Wt.	Each
◆RCP 1011 BLA	600-lb.	92-lbs.	
◆RCP 1013 BLA	1,000-lb.	101-lbs.	

The EPA estimates that there are 136 million tons of construction and demolition debris generated in the U.S. annually, or 2.8-lbs./person/day.



If your building is undergoing any kind of rehabilitation or construction, keep in mind that there are many government organizations and recycling facilities that will assist you with recycling or reusing excess materials and some kinds of demolition debris.

You can be the one that makes these materials available for reuse and keep them out of our landfills and waste streams.

<http://www.epa.gov/epawaste/conserve/rrr/lmr/cdm/index.htm>

## Keep on truckin'...



### A. Tilt Trucks

Specially made to handle bulky, medium- to heavyweight materials. Sturdy, plastic construction. Easy to maneuver and dump contents. Wheels and axle are inset to prevent damage to interior surfaces and equipment. Black. (Optional lids, for ½ and 1 cubic yard capacities, sold separately.)

No.	Capacity	Size (L x W x H)	Shpg. Wt.	Each
<b>½ Cubic Yard*</b>				
◆RCP 1304 BLA	450-lbs.	56¾ x 28 x 38¾	62-lbs.	
◆RCP 1305 BLA	850-lbs.	60½ x 28 x 38¾	77-lbs.	
◆RCP 1306 BLA	1,400-lbs.	60½ x 28 x 38¾	88-lbs.	
<b>1 Cubic Yard</b>				
◆RCP 1314 BLA	850-lb.	72¼ x 33½ x 43¾	111-lbs.	
◆RCP 1315 BLA	1,250-lb.	72¼ x 33½ x 43¾	111-lbs.	
◆RCP 1316 BLA	2,100-lb.	72¼ x 33½ x 43¾	120-lbs.	

### 2 Cubic Yard

◆RCP 1035 BLA	1,900-lb.	81¼ x 46¾ x 50	216-lbs.	
---------------	-----------	----------------	----------	--

\* ½ cubic yard tilt trucks do not come with a handle

### B. Tilt Truck Lids

Domed, hinged lid conceals loads without reducing capacity. Black.

No.	For RCP Model	Shpg. Wt.	Each
◆RCP 1307 BLA	1304, 1305, 1306, 9T17	23.3-lbs.	
◆RCP 1317 BLA	1314, 1315, 1315-42, 1316, 9T18	24-lbs.	

### C. Tilt Trucks

Sturdy, plastic construction. Smooth and seamless, one-piece molded truck bodies with reinforced lip are rounded and easy to clean. 4" center swivel back caster provides easy maneuvering. Durable, one-piece, 10" blow-molded polypropylene wheels offer low maintenance and protect surroundings. Powder coated steel frame for corrosion resistance. Black.

No.	Capacity	Size (L x W x H)	Shpg. Wt.	Each
<b>½ Cubic Yard*</b>				
◆RCP 9T17 BLA	300-lb.	56¾ x 28 x 38¾	46.3-lbs.	
<b>1 Cubic Yard</b>				
◆RCP 9T18 BLA	600-lb.	72¼ x 33½ x 43¾	98.6-lbs.	

\* ½ cubic yard tilt trucks do not come with a handle

### D. Big Wheel™ Utility Cart


Heavy-duty structural foam construction hauls up to 300-lbs. Durable, one-piece tub construction. Reinforced ribbing provides added impact resistance. Smooth, easy-to-dump, easy-to-clean pan. Level capacity 7½ cubic feet. Comfortable, molded, structural foam handles. Steel axle and large 20 x 2¼ wheels with pneumatic tires. Black. 32¾w x 57½d x 28¼h. Shpg. wt. 45-lbs.

◆RCP 5642 BLA	Each
---------------	------



Center hinge lets lid open from either end.





Handle folds flat for use as a dolly.



Use as a two-wheel hand truck or a four-wheel platform truck with two swivel casters.



**PLATFORM TRUCKS**

**A. Heavy-Duty Platform Trucks**

Exclusive Duramold™ decks are formed from a precision engineered resin and metal composite structure that provides maximum load support. Four molded-in tie down slots to secure loads with straps or bungees (not incl.). Retainer clips prevent unintended removal of the powder-coated steel handle. Four casters, two swivel. Black.

No.	Capacity	Shpg. Wt.	Each
<b>36 x 24 Platform</b>			
◆RCP 4406 BLA	2,000-lb.	63-lbs.	
◆RCP 4403 BLA	1,000-lb.	50-lbs.	
<b>48 x 24 Platform</b>			
◆RCP 4436 BLA	2,000-lb.	78-lbs.	
<b>60 x 30 Platform</b>			
◆RCP 4466 BLA	2,000-lb.	88-lbs.	
◆RCP 4471 BLA	2,500-lb.	101-lbs.	

**B. Home and Office Carts**

Three-position handle moves upright for pushing, angles for pulling or folds flat for use as a dolly or for storage. Structural foam platform won't rust, dent or bend. 500-lb. capacity model has ergonomic handle for easier movement and 5" dia. casters for extra stability. Nonskid platform is 20 1/4 x 31 1/4 (35 1/2 with handle flat). Four nonmarking casters, two swivel. Black.

No.	Capacity	Shpg. Wt.	Each
<b>Utility Duty</b> —(Not shown.)			
RCP 4400 BLA	250-lb.	21-lbs.	
<b>Standard Duty</b>			
RCP 4401 BLA	500-lb.	25-lbs.	



**STEEL HAND TRUCKS**

- Heavy-gauge welded tubular steel frames

**Two-Wheel Hand Trucks**

Large 7 x 14 beveled steel toe plate for big loads. 500-lb. capacity. Steel stair glides. 10 x 2 3/4 solid rubber tires. Green enamel finish.

No.	Overall Size	Shpg. Wt.	Each
<b>C. Continuous Handle</b>			
WES 656Z2	21 3/4w x 48h	34-lbs.	
<b>D. Loop Handle</b>			
WES 626DZ2	21 3/4w x 50 1/2h	34-lbs.	

**E. Two-Way Convertible Truck**

Converts easily from a two-wheel, 500-lb. capacity hand truck to a four-wheel, 600-lb. capacity platform truck. 7 x 14 beveled steel nose plate. Two 10 x 2 3/4 solid rubber tires, two 5" swivel casters. Green enamel finish. Overall 20w x 48h. Shpg. wt. 38-lbs.

WES 65621Z2			<b>Each</b>
-------------	--	--	-------------

See pages 306-325 for Facility Maintenance & Safety

Start tooling around... a pre-stocked tool kit meets your office maintenance needs.





**A. Five-Drawer Mobile Workcenter**

Heavy-duty worksurface supports up to 250-lbs. Five storage drawers for tools, supplies and more. Tabletop bins keep small parts within reach. Peg board side panels provide convenient tool organization. Built-in cord wrap allows neat storage of power tools or work lights. Locking bar. Polypropylene. Four swivel casters (two locking). Black/Red. 32.6w x 19.8d x 33.5h. Shpg. wt. 69-lbs.

◆RCP 7734 BLA **Each**



Locking bar provides security and holds drawers in place.



B

**TRADES CARTS**

Perfect for facility maintenance work. Structural foam construction. Ergonomic top surface provides a handy work area for items weighing up to 180-lbs. Bottom shelf holds up to 150-lbs. Total cart capacity 450-lbs. (including drawers). Four removable parts boxes for assorted parts and hardware. Two storage drawers hold supplies. Molded-in, wraparound handle features storage bin for small tools and parts. Mounting bracket serves as cord wrap or holds wastebasket. 5" nonmarking swivel casters (two locking). Black. 38w x 19¼d x 33¾h.

**B. Trades Cart**

Two shelves. Shpg. wt. 50.3-lbs. ☒

RCP 6180 BLA **Each**

**C. Trades Cart with Locking Cabinet**

Fully enclosed, lockable storage compartment keeps costly tools and sensitive materials secure. Shpg. wt. 68-lbs. ☒

RCP 6180-88 BLA **Each**



Lockable cabinet.



**CONVERTIBLE TRUCKS**

Duramold™ precision engineered resin and metal composite structure for durability and long life. Textured deck surface reduces load slippage. Molded-in tie down slots for load security. Perimeter deck channel retains small items. Retainer clips prevent unintended handle removal. Powder-coated steel handle / frame for long service life. 2-fixed, 2-swivel casters. 2,000-lb. maximum capacity.

**D. Convertible A-Frame Truck 24 x 44**

Convertible design quickly transforms into multiple truck and cart configurations. Transports sheet goods, pipe, lumber bar stock and more! Fold down top shelves provide convenient tool and small item storage, 100-lb. capacity per side. Four articulating outrigger arms fold down, 100-lb. capacity per arm. Large deck and top shelf surface area. Black. 50¼w x 27¼d x 49½h. Shpg. wt. 133-lbs.

RCP 4465 BLA **Each**




D

**E. Convertible Platform Truck 24 x 52**

Convertible design quickly transforms the bulk load capacity of a standard platform truck to a heavy-duty two-shelf utility cart with push-button release latch. Three product configurations in one: 24 x 52 Platform or U-boat Truck, 1,000-lb. capacity. 24 x 44 Heavy-Duty Two-shelf Utility Cart, 750-lb. capacity. 61½w x 25¼d x 42h. Shpg. wt. 106-lbs.

RCP 4496 BLA **Each**



Converts to a two-shelf utility cart.



Converts to a platform truck.



## PLATFORM TRUCKS

Duramold™ exclusive engineered resin and metal composite structure provides maximum load support. Structural foam and steel reinforced deck for enhanced durability, won't rust, dent, chip or splinter. Molded-in tie-down slots for load security. Textured deck surface reduces load slippage. Perimeter deck channel retains small items. Two fixed, two swivel heavy-duty polyolefin casters for optimal control, maneuverability and long wear life over a variety of surfaces. Easy and quick assembly with common tools. Virtually maintenance free. Black.

### A. A-Frame Panel Truck

Steel reinforced frame and side rails hold bulky sheet goods firmly in place during transit. Inclined frame and side rail retainer clips prevent unintended removal. Large surface load area improves productivity. Deck size: 24" x 28". Overall dimensions: 24"w x 51"l x 45"h. Capacity 2,000-lbs. Shpg. wt. 73.8-lbs.

RCP 4463 BLA Each

### B. Sheet & Panel Trucks

Three removable powder-coated steel vertical frames provide support for hard-to-handle loads. Vertical frame retainer clips prevent unintended removal. Deck size: 24" x 48". Overall dimensions: 24"w x 51"l x 40"h. Capacity 2,000-lbs. Shpg. wt. 73.8-lbs.

RCP 4468 BLA Each

### C. Stanchion Truck

Heavy-duty steel corner posts provide easy loading and unloading. Corner posts retainer clips prevent unintended removal. Deck size: 24" x 48". Overall dimensions: 24"w x 51"l x 42.625"h. Capacity 2,500-lbs. Shpg. wt. 54.6-lbs.

RCP 4482 BLA Each



A



B



C





## PLATFORM TRUCKS

Duramold™ exclusive engineered resin and metal composite structure provides maximum load support. Structural foam deck for enhanced durability, won't rust, dent, chip or splinter. Molded-in tie-down slots for load security. Textured desk surface reduces load slippage. Perimeter deck channel retains small items. Virtually maintenance free.

### A. Work-Height Platform Truck

Adjustable work height from 25" to 31" high in 3" increments. Ergonomic handle design improves control and worker safety. Steel reinforced deck for enhanced durability. Powder coated steel handle with retainer clip prevents unintended removal. Two fixed, two swivel heavy-duty polyolefin casters for optimal control, maneuverability and long wear life over a variety of surfaces. Easy and quick assembly with common tools. Deck size: 24" x 48". Overall dimensions: 24" w x 52.25" l x 47.8750" h. Black. Capacity 2,000-lbs. Shpg. wt. 102-lbs.

RCP 4473 BLA

Each



### B. 5th Wheel Wagon Trucks

Fifth wheel steering ensures tight turning radius and easy maneuverability. Vinyl grip, powder coated "T" pull handle stays upright when not in use. T-end is removable for towing applications (tow package sold separately). Towing capabilities—single truck, up to 5 mph. Rubber casters provide floor surface protection, quiet operation and shock absorption. Pneumatic casters protect loads over rough indoor and outdoor surfaces. Steel reinforces deck for enhanced durability. Easy and quick assembly with common tools. 24" w x 54" l x 31.75" h. Black. Capacity 2,000-lbs. Shpg. wt. 98-lbs.

No.	Casters	Each
RCP 4477 BLA	Pneumatic	
RCP 4478 BLA	Thermo Plastic Rubber	



### C. Side Panel Platform Truck

Ergonomic handle design improves control and worker safety. Side panels easily remove to accommodate oversized loads. Versatile design allows for multiple configurations, 1 to 4 panels. End-panel cut-outs allow for ergonomic access of contents. Steel reinforced deck for enhanced durability. Two fixed, two swivel heavy-duty 8" casters for optimal control and maneuverability. Easy and quick assembly with common tools. Deck size: 24" x 48". 24" w x 55.75" l x 41" h. Black. Shpg. wt. 73.7-lbs.

No.	Casters	Capacity	Each
RCP 4485 BLA	Pneumatic	1,200-lbs.	
RCP 4486 BLA	Thermo Plastic Rubber	2,000-lbs.	



### D. Semi-Live Skid 24" x 48"

Heavy-duty tow plate engages/disengages jack handle RCP 4492 (sold separately). 24" w x 51" l x 45" h. Black. Capacity 2,000-lbs. Shpg. wt. 73.8-lbs.

RCP 4494 BLA

Each

### E. Semi-Live Skid Jack Handle

Ergonomic handle design enables tight turning radius for easy maneuverability in confined spaces which improves control and worker safety. For Semi-Live Skid RCP 4494 BLA (sold separately). Red. Shpg. wt. 38-lbs.

RCP 4492 RED

Each





500  
LB. CAPACITY



A



500  
LB. CAPACITY



B

Front "hook" holds extension cord or soft wastebasket. Handle bin stores small parts and tools.

300  
LB. CAPACITY



C

300  
LB. CAPACITY



D

300  
LB. CAPACITY



E

000  
LB. CAPACITY

**Weight Capacity**

The maximum weight that this product can accommodate.



**A. Heavy-Duty Utility Carts**

Transport materials, supplies and heavy loads in almost any environment. Variable grip height handle improves control and worker safety. Deep pocket lipped shelves keep contents in place. 500-lb. capacity and 4 non-marking casters, unless noted otherwise.

No.	Color	Size (W x D x H)	Shpg. Wt.	Each
RCP 4500-88 BEI	Beige	39 x 17 $\frac{1}{8}$ x 33 $\frac{1}{4}$	29 $\frac{1}{2}$ -lbs.	
RCP 4500-88 BLA	Black	39 x 17 $\frac{1}{8}$ x 33 $\frac{1}{4}$	29 $\frac{1}{2}$ -lbs.	
RCP 4520-88 BEI	Beige	45 $\frac{1}{4}$ x 25 $\frac{1}{8}$ x 33 $\frac{1}{4}$	41-lbs.	
RCP 4520-88 BLA	Black	45 $\frac{1}{4}$ x 25 $\frac{1}{8}$ x 33 $\frac{1}{4}$	41-lbs.	
RCP 4520-10 BLA*	Black	44 x 25 $\frac{1}{4}$ x 37 $\frac{1}{8}$	63-lbs.	
RCP 4546 BLAT	Black	54 x 25 $\frac{1}{4}$ x 33 $\frac{1}{4}$	49-lbs.	
RCP 4546-10 BLA*†	Black	54 x 25 $\frac{1}{4}$ x 33 $\frac{1}{4}$	71-lbs.	

\* Includes pneumatic casters

† 750-lb. capacity

**B. Heavy-Duty Flat Shelf Utility Cart**

Transport materials, supplies and heavy loads in almost any environment. Variable grip height handle improves control and worker safety. 4 non-marking casters. 500-lb. capacity unless noted otherwise.

No.	Color	Size (W x D x H)	Shpg. Wt.	Each
RCP 4505 BEI	Beige	37 $\frac{3}{8}$ x 19 $\frac{1}{2}$ x 33 $\frac{1}{4}$	29 $\frac{1}{2}$ -lbs.	
RCP 4505 BLA	Black	37 $\frac{3}{8}$ x 19 $\frac{1}{2}$ x 33 $\frac{1}{4}$	29 $\frac{1}{2}$ -lbs.	
RCP 4525 BEI	Beige	43 $\frac{1}{2}$ x 25 $\frac{1}{8}$ x 33 $\frac{1}{4}$	41-lbs.	
RCP 4525 BLA	Black	43 $\frac{1}{2}$ x 25 $\frac{1}{8}$ x 33 $\frac{1}{4}$	41-lbs.	
RCP 4545 BLAT	Black	54 x 25 $\frac{1}{4}$ x 36	44-lbs.	

† 750-lb. capacity

**C. Service/Utility Carts**

Structural foam construction, 300-lb. capacity. Two tray-style shelves securely hold contents. Molded-in handle with convenient storage compartments. 4" nonmarking swivel casters. Easy assembly. Black. 31 $\frac{1}{4}$ " high.

No.	Size (W x D)	Shpg. Wt.	Each
RCP 9T66 BLA	34 x 16	36 $\frac{1}{4}$ -lbs.	
RCP 9T67 BLA	40 x 24	42 $\frac{3}{4}$ -lbs.	

**D. Instrument Cart**

- For use in hospitals, health care centers, labs and hotels/motels

For transporting instruments and supplies. Three smooth, easy-to-clean shelves, sliding top drawer and two molded handles. Enclosed bottom shelf has locking doors to secure contents. 300-lb. maximum load capacity; 100-lbs. per shelf. Easy "pound-together" assembly. Gray with nonmarking casters. 40 $\frac{1}{2}$ "w x 20d x 37 $\frac{1}{8}$ "h. Shpg. wt. 51 $\frac{1}{2}$ -lbs.


RCP 4094 GRA	Each
--------------	------

**E. Three-Shelf AV/Equipment Cart, Lockable Enclosed Shelf**

300-lb. total load capacity (100-lbs. per shelf). Sized to carry large loads. Rounded corners won't damage walls. Upscale appearance ideal for institutional, warehouse or front office use. Large textured shelves hold a variety of equipment and supplies. Durable, structural web construction resists scratches, chips and rust. Lightweight and easy to handle. Quiet, nonmarking casters. Comfortable, rounded handles have molded-in storage bins for small items. Black. 40 $\frac{1}{2}$ "w x 20 $\frac{1}{2}$ "d x 37 $\frac{1}{8}$ "h. Shpg. wt. 52-lbs.

RCP 4095 BLA	Each
--------------	------

**Casters to Meet Your Needs**



**POLYOLEFIN**

Hard-tread polyolefin casters roll easier than soft tread casters. Nonmarking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris. Excellent on concrete, wood, carpet, and steel surfaces.



**PNEUMATIC**

Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.



**THERMOPLASTIC RUBBER (TPR)**

TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.



### A. Executive Service Cart

Highly aesthetic design for front and back of house applications. Extra-large top shelf fits two 4½-gallon bus boxes (RCP 3349 GRA, sold separately). Shelves feature raised edges and sturdy side panels keep contents secure. Thick shelves provide added strength; 300-lb. weight load capacity. Two rounded ergonomic handles for comfort. Solid base bumper protects walls and furniture. Durable, easy-to-clean polypropylene construction. Heavy-duty, non-marking 4" casters. Black. 21w x 29d x 38h.

RCP 9T68 BLA **Each**

### UTILITY CARTS

- Sized to carry large loads and reduce return trips
- Rounded corners won't damage walls

Upscale appearance is ideal for institutional, warehouse or front office use. Large textured shelves hold a variety of equipment and supplies. Durable, structural web construction resists scratches, chips and rust. Lightweight and easy to handle with quiet, nonmarking casters. Comfortable, rounded handles.

No.	Color	Shpg. Wt.	Each
-----	-------	-----------	------

**B. 3-Shelf Utility Cart, Open All Sides**—300-lb. total load capacity (100-lbs. per shelf). 40½w x 20d x 37¼h.

RCP 4091 CRE	Off-White	46-lbs.
RCP 4091 BLA	Black	46-lbs.

**C. 4-Shelf Utility Cart, Open All Sides**—300-lb. total load capacity (75-lbs. per shelf). 40½w x 20d x 51h.

RCP 4096 BLA	Black	52-lbs.
--------------	-------	---------

**D. 3-Shelf Utility Cart, Enclosed On 3 Sides**—300-lb. total load capacity (100-lbs. per shelf). 40½w x 20d x 37¼h.

RCP 4093 CRE	Off-White	51-lbs.
RCP 4093 BLA	Black	51-lbs.

### THREE-SHELF UTILITY/SERVICE CARTS

- Quiet operation
- Dual-molded handles; nonmarking swivel casters
- Easy-to-clean smooth surfaces

### E. Three-Shelf Utility Cart with Brushed Aluminum Uprights

Ideal for offices or foodservice. 200-lb. total load capacity. Shelves have slight lip on three sides; one flat side for easy loading. 4" diameter casters. Assembles easily in minutes. 18½w x 33¾d x 37¼h. Shpg. wt. 30-lbs.

RCP 3424-88 BLA	Black	<b>Each</b>
RCP 3424-88 PLA	Platinum	<b>Each</b>

### F. Three-Shelf Service Cart with Brushed Aluminum Uprights

Ideal for office use. 100-lb. total load capacity. Shelves have one flat side for easy loading; lip on three sides. 3" diameter swivel casters. Easy to assemble. Beige. 16½w x 31½d x 36h. Shpg. wt. 21½-lbs.

RCP 9T65-71 BEI	<b>Each</b>
-----------------	-------------

### G. Three-Shelf Utility Cart with Enclosed End Panels

Ideal for offices or foodservice. Flat shelves. Enclosed on two sides. 300-lb. total load capacity. 4" diameter casters. Platinum. 18w x 31d x 37½h. Shpg. wt. 38.6-lbs.

RCP 3355-88 PLA	<b>Each</b>
-----------------	-------------

### UTILITY CART BINS

Handy bins convert utility carts to busing systems. Top rim has a lip which rests on cart beneath the handle. For RCP 3355-88, 3424-88, 4091, 4093, 4094, 4095 and 4096 Utility Carts.

### H. Refuse Bin

8-gallon capacity. Black. 17w x 12d x 22h.

RCP 3353-88 BLA	<b>Each</b>
-----------------	-------------

### I. Utility Bin

4-gallon capacity. Black. 17w x 12½d x 10½h.

RCP 3354-88 BLA	<b>Each</b>
-----------------	-------------



A

Refuse Bin H.  
(RCP 3353-88 BLA)  
and Utility Bin I.  
(RCP 3354-88 BLA)  
each sold separately.



I

H

B

300  
LB. CAPACITY300  
LB. CAPACITY

C

300  
LB. CAPACITY

D

200  
LB. CAPACITY

E

100  
LB. CAPACITY

F

300  
LB. CAPACITY

G

## Outdoor Storage



A



B



C



D



E



F

Lid slides back for easy walk-in access.

Rubbermaid

## ROUGHNECK™ MODULAR OUTDOOR STORAGE SHEDS

- Freestanding and weather resistant
- Durable double-wall resin panels lock together quickly and easily
- Heavy-duty structural foam floor has angled entry ramp
- Easily assembles with basic tools
- Hasp is padlockable (padlock not incl.)

Structural foam floor supports up to 1,300-lbs. Sheds have molded-in grooves to accommodate up to six wood shelves (shelves not incl.). Molded-in anchor grooves permit anchoring into the ground.

### A. Vertical Double Deep

Two lockable front doors for easy access. 6-ft. interior height for walk-in accessibility. Sandstone/Olive. 163 cu. ft. capacity. 66w x 72d x 78h. Shpg. wt. 253.1-lbs.

◆RHP 3673

Each

### B. Vertical

Two lockable front doors. 6-ft. interior height provides walk-in accessibility. Sandstone/Olive. 74 cu. ft. capacity. 66w x 36d x 78h. Shpg. wt. 179-lbs.

◆RHP 3667

Each

## OUTDOOR STORAGE SHEDS

- All structures are freestanding and weather resistant
- Interlocking double-wall blow-molded panels for strength and durability
- Tough, durable floor included
- Easily assembles in less than 30 minutes
- Sheds have hasp for a padlock (not incl.)

### C. Large Vertical

Eight interlocking panels. Molded-in grooves for three shelves (not incl.). Molded-in anchor grooves provide the option of attaching to another structure or anchoring into the ground. Sandstone/Olive. 52 cu. ft. capacity. 52w x 32d x 77h. Shpg. wt. 130-lbs.

◆RHP 3746

Each

### D. Large Horizontal

Six interlocking panels. Molded-in grooves for one shelf (not incl.). Lid prop bar included. Molded-in anchor grooves provide the option of attaching to another structure or anchoring into the ground. Sandstone/Olive. 32 cu. ft. capacity. 56.5w x 32d x 48h. Shpg. wt. 92.81-lbs.

◆RHP 3747

Each

### E. Horizontal

Seven interlocking panels. Molded-in grooves hold one shelf (not incl.). Includes lid prop bar. Sandstone/Olive. 18 cu. ft. capacity. 55w x 28d x 36h. Shpg. wt. 52-lbs.

◆RHP 3748

Each

### F. Slide-Lid

Lid slides back for easy walk-in access. Ideal for storing bikes and lawn equipment. Structural foam floor supports up to 1,300 lbs. Sandstone/Olive. 92 cu. ft. capacity. 60w x 79d x 54h. Shpg. wt. 262.76-lbs.

◆RHP 3752

Each



**A. 75" High Commercial Metal Shelving**

350-lb. capacity per shelf (based on 36 x 18 shelf evenly distributed). Includes five 36w x 18d shelves, plus posts and shelf clips. Shelves adjust in 1" increments with compression clips. Medium Gray. Shpg. wt. 61-lbs.

TNS 109694	Each
------------	------



**B. Roughtote® Clear Storage Boxes**

Durable polypropylene boxes keep contents contained, dry and dust-free. Shatter-resistant down to 0°F. Built-in handles for easy lifting and carrying. Clear polypropylene with white lid.

No.	Capacity	Each
RHP 2217 WHI	1.5-Gallon	
RHP 3Q24 CLE	3-Gallon	
RHP 2221 WHI	7-Gallon	
RHP 2223 WHI	11-Gallon	

**C. Roughneck® Storage Boxes**

Rugged storage boxes are shatter-resistant. Sturdy, built-in handles for easy carrying. Snap-on, stay-tight lids help keep contents dry and dust-free. Stackable for easy, space-saving storage. Steel color. Manufacturer's lifetime warranty.

No.	Capacity	Each
RHP 2214TP STE	10-Gallon	
RHP 2212CP STE	14-Gallon	
RHP 2215CP STE	18-Gallon	



**D. Palletote® Box**

Heavy-duty, all-plastic construction with an easy-to-clean smooth surface. Ideal for versatile storage of goods. Meets USDA Dairy Sanitary Standards; Meat and Poultry Equipment Group Listed. Stackable. Gray. Optional lid RCP 1730 GRA sold separately. 2.6 cu. ft. 23½w x 19½d x 13h.

RCP 1732 GRA	Each
--------------	------

**Palletote® Lid**—For RCP 1732 GRA (sold separately).

RCP 1730 GRA	Each
--------------	------



Adjustable shelves—includes posts and clips.



1.5-gallon to 11-gallon clear boxes let you see what you store.



Shown with optional lid.